AD-A121 988 RIME: THE RECOVERABLE ITEM MANAGEMENT EVALUATOR VOLUME II SECTION IV RIME..(U) DECISION SYSTEMS DAYTON OH W S DEMMY MAY 80 TR-80-02-D F33600-78-C-0524 1/1

UNCLASSIFIED F/G 9/2 NL




1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PHOTOGRAPH THIS SHEET

AD A121988

DTIC ACCESSION NUMBER

LEVEL

INVENTORY

RIME: Vol. II, Section IV Rept. No. TR-80-02-D

DOCUMENT IDENTIFICATION

Contract F33600-78-C-0524 May 80

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR	
NTIS	GRA&I
DTIC	TAB
UNANNOUNCED	
JUSTIFICATION	
BY	
DISTRIBUTION /	
AVAILABILITY CODES	
DIST	AVAIL AND/OR SPECIAL
A	

DISTRIBUTION STAMP

DTIC
ELECTE
S DEC 1 1982 D
D

DATE ACCESSIONED

DATE RECEIVED IN DTIC

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDA-2

DOCUMENT PROCESSING SHEET

DTIC FORM OCT 79 70A

RIME:

The Recoverable Item Management Evaluator:

Volume II, Section IV

RIME Job Control Language Files

RIME:

The Recoverable Item Management Evaluator:

Volume II, Section IV

RIME Job Control Language Files

by

W. Steven Demmy

May 1980

TR-80-02-D

DECISION SYSTEMS
2125 Crystal Marie Drive
Dayton, Ohio 45431

(513) 426-8515

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) RIME: The Recoverable Item Management Evaluator: Volume II: Program Listings and Narratives		5. TYPE OF REPORT & PERIOD COVERED INTERIM August 79-Jun. 80 6. PERFORMING ORG. REPORT NUMBER TR-80-02-D
7. AUTHOR(s) W. Steven Demmy		8. CONTRACT OR GRANT NUMBER(s) C-0524 F33600-78-~~R-0214~~
9. PERFORMING ORGANIZATION NAME AND ADDRESS Decision Systems 3575 Charlene Drive Dayton, Ohio 45432		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 23041A5
11. CONTROLLING OFFICE NAME AND ADDRESS 2750th ABW/PMA BLDG 1, Area C Wright-Patterson AFB, Ohio		12. REPORT DATE May 1980 13. NUMBER OF PAGES 298
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

A

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
Recoverable item, multi-echelon, inventory/repair, simulation, METRIC, MOD-METRIC, AFLC

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)
This report describes the Recoverable Item Management Evaluator (RIME), a FORTRAN simulation model for evaluating the relative cost-effectiveness of analytic optimization procedures proposed for use in Air Force Logistics Command recoverable item management systems. Major features of the model include (a) the use of actual Air Force demand histories to drive the model demand processes, (b) modeling of current Air Force statistical estimation procedures, and (c) modeling of the dynamic interations among initial provisioning, replenishment and distribution policies. Volume II documents the programs for RIME.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Section IV

Job Control Language Files

List of Files

Filename
BSOFILE
DMSGN.E1
DMSGN.E2
INPRV.E1
INPRV.E2
INPRV.E3
INPRV.E4
LIMITS.E
MICRO.E1
PUNCH.E1
REPLN.E1
REPLN.E2
REPLN.E3
RIMSM.E1
RIMSM.E2
RIMSM.E3
RIMSM.E4
SORTL.E1

PERMANE- BSOFILE

```
10#95 0607-0.10000E-02
20#95 0607-0.10000E-03
30#95 0607-0.10000E-04
40#95 0607-0.10000E-06
50#95 0607-0.10000E-08
```

FILENAME= DMSGN.E1

```
10$;NOTE:----------/GO/DMSGN.E1 FOLLOWS
20$;NOTE:**********RIME/BO/DMSGN.E1
30$;OPTION:FORTRAN,NOMAP
40$;SELECT:RIME/OBS/DMSGN1.O
50$;SELECT:RIME/OBS/READF2.O
60$;SELECT:RIME/OBS/R57027.O
70$;SELECT:RIME/OBS/BASEDA.O
80$;SELECT:RSOS/RANDU.O
90$;EXECUTE
100$;LIMITS:15,28K,5K
110$;DATA:OS
```

DMSGN.E1

FILENAME= DMSGN,E2 /

```
135$;NOTE;-------------------------------/GO/DMSGN,E2 FOLLOWS
140$;TAPE;OB,X1S,,74870,,DOB1EXT
150$;FILE;OB,R2S
160$;FEILE;OB,NOSLEW
170$;FILE;01,I2S
180$;FEILE;01,NOSLEW
190$;NOTE;**********************UTILITY DUMP
200$;UTILITY
210$;PUTIL;AA,BB,RWD/AA,BB/,DDUMP/20B,50R/,RWD/AA,BB/
220$;TAPE;AA,X1D
230$;FILE;BB,I2S
240$;PUTIL;CC,,RWD/CC/,DDUMP/50R/,RWD/CC/
250$;FILE;CC,R2S
```

FILENAME- INPRV.E1

```
2000$;NOTE;----+----1----+----2----+----3----+----4----+----5----+----6--INPRV.E1 FOLLOWS-
2010$;NOTE;**********BEGIN ONEIND
2020$       OPTION  FORTRAN,NOMAP
2030$       LIBRARY MP
2040$       SELECT RIME/OBJ/ONEIND,O
2050$       EXECUTE
2060$;SELECTA;RIME/LIMITS,D
2070$       PRMFL   MP,R/L,MODMETRIC/EDIT
2080$       PRMFL   04,R/W,L,MODMETRIC/USELIST
2090$;FILE;05,I2S
2100$;FILE;06,P1S
2110$;FILE;09,I3S
2115$;FFILE;09,NOSLEW
2120$;NOTE;**********UTILITY DUMP
2130$;UTILITY
2140$;PUTIL,AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
2150$;FILE;AA,I2R
2160$;FILE;BB,I3S
2170$;NOTE;**********BEGIN GETBSO
2180$       OPTION  FORTRAN,NOMAP
2190$       LIBRARY MP
2200$       SELECT  RIME/OBJ/GETBSO,O
2210$       EXECUTE
2220$;LIMITS;15,125,,5K
2230$       PRMFL   MP,R/L,MODMETRIC/EDIT
2240$       PRMFL   04,R/W,L,MODMETRIC/USELIST
2250$;FILE;07,I3S
2260$;FILE;06,I6S
2265$;FFILE;06,NOSLEW
2270$;NOTE;*****SELECTA BSO'S FROM /GO/BSOFILE
2280$;DATA;05
2290$;SELECTA;RIME/GO/BSOFILE
2300$;NOTE;**********UTILITY DUMP
2310$;UTILITY
2320$;PUTIL,AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
2330$;FILE;AA,I3R
2340$;FILE;BB,I6S
```

FILENAME= INPRV.E2

```
20000$:NOTE:**********************************INPRV.E2 FOLLOWS***
20100$:NOTE:*****************************BEGIN TWOIND
20200$      OPTION   FORTRAN,NOMAP
20300$      LIBRARY MP
20400$:SELECT:RINE/OBJ/TWOIND,O
20500$      EXECUTE
20600$:SELECTA:RINE/LIMITS,D
20700$      PRMFL   MP,R,L,NODMETRIC/IDNT
20800$      PRMFL   04,R/W,L,NODMETRIC/USELIST
20900$:FILE:05,X2S
21000$:FILE:06,P1S
21100$:FILE:08,X3S
21150$:FFILE:09,NOSLEW
21200$:NOTE:*****************************UTILITY DUMP
21300$:UTILITY
21400$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
21500$:FILE:AA,X2R
21600$:FILE:BB,X3R
21700$:NOTE:*****************************BEGIN GETBSO
21800$      OPTION   FORTRAN,NOMAP
21900$      LIBRARY MP
22000$      SELECT   RINE/OBJ/GETBSO,O
22100$      EXECUTE
22200$:LIMITS:15,12K,,5K
22300$      PRMFL   MP,R,L,NODMETRIC/IDNT
22400$      PRMFL   04,R/W,L,NODMETRIC/USELIST
22500$:FILE:07,X3S
22600$:FILE:08,X6S
22650$:FFILE:06,NOSLEW
22700$:NOTE:*****SELECTA BSO'S FROM /GO/BSOFILE
22800$:DATA:05
22900$:SELECTA:RINE/GO/BSOFILE
23000$:NOTE:*****************************UTILITY DUMP
23100$:UTILITY
23200$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
23300$:FILE:AA,X3R
23400$:FILE:BB,X6S
```

FILENAME= INPRV,E3

```
10$:NOTE:------------------------------------INPRV.E3 FOLLOWS---
20$:NOTE:*************************BEGIN SAVDAT
30$:OPTION:FORTRAN,NOMAP
40$:SELECT:RIME/OBJ/SAVDAT,O
50$:EXECUTE
55$:LIMITS:15,10K
60$:FILE:05,I2S
70$:FILE:08,M1S,10R
80$:FILE:09,M2S
85$:FFILE:09,NOSLEW
90$:NOTE:*********************UTILITY DUMP
100$:UTILITY
110$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R7,RWD/AA,BB/
120$:FILE:AA,I2R
130$:FILE:BB,M2S
160$:NOTE:**************************BEGIN ONFIND
170$         OPTION   FORTRAN,NOMAP
180$         LIBRARY  MP
190$         SELECT   RIME/OBJ/ONFIND,O
200$         EXECUTE
210$:SELECTA:RIME/LIMITS,D
220$         PRMFL    MP,R,L,MODMETRIC/IDNT
230$         PRMFL    04,R/W,L,MODMETRIC/USELIST
240$:FILE:08,M2S
250$:FILE:06,P1S
260$:FILE:09,I3S
265$:FFILE:09,NOSLEW
270$:NOTE:*********************UTILITY DUMP
280$:UTILITY
290$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R7,RWD/AA,BB/
300$:FILE:AA,M2R
310$:FILE:BB,I3S
320$:NOTE:**************************BEGIN GETBSO
330$         OPTION   FORTRAN,NOMAP
340$         LIBRARY  MP
350$         SELECT   RIME/OBJ/GETBSO,O
360$         EXECUTE
370$:LIMITS:15,12K
380$         PRMFL    MP,R,L,MODMETRIC/IDNT
390$         PRMFL    04,R/W,L,MODMETRIC/USELIST
400$:FILE:07,I3S
410$:FILE:06,I4S
415$:FFILE:06,NOSLEW
420$:NOTE:****SELECTA BSO'S FROM /GO/BSOFILE
430$:DATA:05
440$:SELECTA:RIME/GO/BSOFILE
450$:NOTE:**********************UTILITY DUMP
460$:UTILITY
470$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R7,RWD/AA,BB/
480$:FILE:AA,I3R
490$:FILE:BB,I4S
500$:NOTE:*************************BEGIN GETDAT
510$:OPTION:FORTRAN,NOMAP
520$:SELECT:RIME/OBJ/GETDAT,O
```

```
5300$;EXECUTE
5350$;LIMITS,15,10K
5400$;FILE;05,I4S
5500$;FILE;05,M1R
5600$;FILE;09,I5S
5650$;FILE;09,NOSLEW
5700$;NOTE;*****************UTILITY DUMP
5800$;UTILITY
5900$;PUTIL;AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
6000$;FILE;AA,I4R
6100$;FILE;BB,I5S
6200$;NOTE;*****************BEGIN EVALUATE
6300$       OPTION  FORTRAN,NOMAP
6400$       LIBRARY MP
6500$;SELECT,TIME/OBJ/MAXEVL,0
6600$;EXECUTE
6700$;LIMITS,15,18K
6800$       PRMFL   MP,R,L,NODMETRIC/IDNT
6900$       PRMFL   Q4,R/W,L,NODMETRIC/USELIST
7000$;FILE;05,I5S
7100$;FILE;06,P1S
7200$;FILE;09,I6S
7250$;FILE;09,NOSLEW
7300$;NOTE;*****************UTILITY DUMP
7400$;UTILITY
7500$;PUTIL;AA,BB,RWD/AA,BB/,DDUMP/50R,50R/,RWD/AA,BB/
7600$;FILE;AA,I5R
7700$;FILE;BB,I6S
```

FILENAME= INPRV.E4

```
2000$;NOTE;----------/GO/INPRV.E4 FOLLOWS
2010$;NOTE;**********BEGIN EVALUATE
2020$       OPTION  FORTRAN,NOMAP
2030$       LIBRARY MP
2040$;SELECT;RIME/OBJ/MAXEVL,O
2050$;EXECUTE
2060$;LIMITS;15,18K
2070$       PERMFL  MP,R,L,MODMETRIC/RDMT
2080$       PERMFL  04,R/W,L,MODMETRIC/USELIST
2090$;FILE;05,I2S
2100$;FILE;06,P1S
2110$;FILE;09,I4S
2120$;FFILE;09,NOSLEW
2130$;NOTE;**********UTILITY DUMP
2140$;UTILITY
2150$;FUTIL;AA,BB,RWD/AR,BB/,DDUMP/SOR;SOR/,RWD/AA;BB/
2160$;FILE;AA,I2R
2170$;FILE;BB,I4S
2180$;OPTION;FORTRAN
2190$;SELECT;RIME/OBJ/LEVLDP,O
2200$;EXECUTE
2205$;NOTE;*****SELECTA BSO'S FROM /SO/BSOFILE
2210$;DATA;05
2220$;SELECTA;RIME/GO/BSOFILE
2230$;FILE;07,I4R
2240$;FILE;08,I6S
2250$;FFILE;08,NOSLEW
```

```
FILENAME= LIMITS.E

00108;NOTE:**************SELECTA RIME/GO/LIMITS.E
00448;LIMITS:#1,,,9K
```

LIMITS.E

FILENAME= MICRO,E1

```
7500$;NOTE:**********************RIHP/GO/MICRO;E1
7510$;UTILITY
7520$;PUTIL,PP,,RWD/PP/;DDUMP/10B/,RWD/PP/
7530$;FILE;PP,P1S
7540$;CONVER
7550$;FILE;IN,P1S
7560$;REMOTE:OT
```

FILENAME= PUNCH.E1

```
7000$;NOTE;;**********X*BIMS/GO/PUNCH.E1
7010$;CONVERT;NSPIN
7020$;INPUT;MMEDIA
7030$;OUTPUT;MODBCD
7030$;FILE;IN,A3S
7040$;PUNCH,OT
```

FILENAME= REPLN.E1

```
3000$:NOTE:----------REPLN.E1 FOLLOWS----------
3010$:NOTE:**********BEGIN ONEIND
3020$       OPTION  FORTRAN;NOMAP
3030$       LIBRARY MP
3040$       SELECT  RIME/OBJ/ONEIND,0
3050$       EXECUTE
3060$:SELECTA:RIME/LIMITS,D
3070$       PRMFL   MP,R;L=MODMETRIC/EDM7
3080$       PRMFL   04,R/W,L,MODMETRIC/USELIST
3090$:FILE:05,R2S
3100$:FILE:06,P1S
3110$:FILE:09,R3S
3115$:SFILE:09,NOSLEW
3120$:NOTE:**********UTILITY DUMP
3130$:UTILITY
3140$:DUTIL,AA,BB,RWD/AA,BB/,DDUMP/20R;20R/,RWD/AA,BB/
3150$:FILE:AA,R2R
3160$:FILE:BB,R3S
3170$:NOTE:**********BEGIN GETBSO
3180$       OPTION  FORTRAN,NOMAP
3190$       LIBRARY MP
3200$       SELECT  RIME/OBJ/GETBSO,0
3210$       EXECUTE
3220$:LIMITS:15,12K,,5K
3230$       PRMFL   MP,R;L,MODMETRIC/EDM7
3240$       PRMFL   04,R/W,L,MODMETRIC/USELIST
3250$:FILE:07,R3S
3260$:FILE:06,R6S
3265$:SFILE:06,NOSLEW
3270$:NOTE:*****SELECTA BSO'S FROM /SO/BSOFILE
3280$:DATA:05
3290$:SELECTA:RIME/SO/BSOFILE
3300$:NOTE:**********UTILITY DUMP
3310$:UTILITY
3320$:DUTIL,AA,BB,RWD/AA,BB/,DDUMP/20R;20R/,RWD/AA;BB/
3330$:FILE:AA,R3R
3340$:FILE:BB,R6S
```

FILENAME- REPLN.E2

```
3000$:NOTE:*******************************REPLN.E2 FOLLOWS**
3010$:NOTE:*******************************BEGIN TWOIND
3020$      OPTION   FORTRAN,NOMAP
3030$      LIBRARY MP
3040$:SELECT:RIME/OBJ/TWCIND.O
3050$      EXECUTE
3060$:SELECTA:RIME/LIMITS.D
3070$      PRMFL    MP,R,L,MODMETRIC/IDNT
3080$      PRMFL    04,R/W,L,MODMETRIC/USELIST
3090$:FILE:05,R2S
3100$:FILE:06,P1S
3110$:FILE:09,R3S
3115$:FFILE:09,NOSLEW
3120$:NOTE:*************************UTILITY DUMP
3130$:UTILITY
3140$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
3150$:FILE:AA,R2R
3160$:FILE:BB,R3S
3170$:NOTE:*****************************BEGIN GETBSO
3180$      OPTION   FORTRAN,NOMAP
3190$      LIBRARY MP
3200$      SELECT   RIME/OBJ/GETBSO.O
3210$      EXECUTE
3220$:LIMITS:15,12K,,5K
3230$      PRMFL    MP,R,L,MODMETRIC/IDNT
3240$      PRMFL    04,R/W,L,MODMETRIC/USELIST
3250$:FILE:07,R3S
3260$:FILE:06,R6S
3265$:FFILE:06,NOSLEW
3270$:NOTE:*****SELECTA BSO'S FROM /GO/BSOFILE
3280$:DATA:05
3290$:SELECTA:RIME/GO/BSOFILE
3300$:NOTE:**********************UTILITY DUMP
3310$:UTILITY
3320$:FUTIL:AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
3330$:FILE:AA,R3R
3340$:FILE:BB,R6S
```

FILENAME= REPLN,E3

```
10$;NOTE;*----------*----------*----------*--REPLN,E3 FOLLOWS--*-
20$;NOTE;**********BEGIN SAVDAT
30$;OPTION;FORTRAN,NOMAP
40$;SELECT;RIME/OBJ/SAVDAT,O
50$;EXECUTE
55$;LIMITS;15,10K,,5K
60$;FILE;05,R2S
70$;FILE;08,W1S,10R
80$;FILE;09,W2S
85$;PFILE;09,NOSLEW
90$;NOTE;**********UTILITY DUMP
100$;UTILITY
110$;FUTIL;AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
120$;FILE;AA,R2R
130$;FILE;BB,W2S
140$;NOTE;**********BEGIN ONEIND
170$        OPTION  FORTRAN,NOMAP
180$        LIBRARY MP
190$        SELECT  RIME/OBJ/ONEIND,O
200$        EXECUTE
210$;SELECTA;RIME/LIMITS,D
220$        PRMFL   MP,R,L,MODMETRIC/IBMT
230$        PRMFL   04,R/W,L,MODMETRIC/USELIST
240$;FILE;05,W2S
250$;FILE;06,NULL
260$;FILE;09,R3S
265$;PFILE;09,NOSLEW
270$;NOTE;**********UTILITY DUMP
280$;UTILITY
290$;FUTIL;AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
300$;FILE;AA,W2R
310$;FILE;BB,R3S
320$;NOTE;**********BEGIN GETBSO
330$        OPTION  FORTRAN,NOMAP
340$        LIBRARY MP
350$        SELECT  RIME/OBJ/GETBSO,O
360$        EXECUTE
370$;LIMITS;15,12K,,5K
380$        PRMFL   MP,R,L,MODMETRIC/IBMT
390$        PRMFL   04,R/W,L,MODMETRIC/USELIST
400$;FILE;07,R3S
410$;FILE;06,R4S
415$;PFILE;06,NOSLEW
420$;NOTE;****SELECTA BSO'S FROM /00/BSOFILE
430$;DATA;05
440$;SELECTA;RIME/BO/BSOFILE
450$;NOTE;**********UTILITY DUMP
460$;UTILITY
470$;FUTIL;AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
480$;FILE;AA,R3R
490$;FILE;BB,R4S
500$;NOTE;**********BEGIN GETDAT
510$;OPTION,FORTRAN,NOMAP
520$;SELECT,RIME/OBJ/GETDAT,O
```

```
5300$;EXECUTE
5350$;LIMITS,15,10K
5400$;FILE;08,BUS
5500$;FILE;08,NIR
5600$;FILE;09,RSS
5650$;FILE;09,NOSLEW
5700$;NOTE;*********************UTILITY DUMP
5800$;UTILITY
5900$;PUTIL;AA,BB,RWD/AA,BB/,DDUMP/20R,20R/,RWD/AA,BB/
6000$;FILE;AA,BUR
6100$;FILE;BB,RSS
6200$;NOTE;*************************BEGIN EVALUATE
6300$       OPTION  FORTRAN,NOMAP
6400$       LIBRARY MP
6500$;SELECT,RINR/OBJ/MAXEVL,0
6600$;EXECUTE
6700$;LIMITS,15,18K
6800$       PRMFL   MP,B,L,NORMETRIC/IBMT
6900$       PRMFL   04,B/W,L,NODMETRIC/USELIST
7000$;FILE;08,RSS
7100$;FILE;06,NULL
7200$;FILE;09,RGS
7250$;FILE;09,NOSLEW
7300$;NOTE;*********************UTILITY DUMP
7400$;UTILITY
7500$;PUTIL;AA,BB,RWD/AA,BB/,DDUMP/50R,80R/,SKIP/1F,1F/,RWD/AA,BB/
7600$;FILE;AA,BSR
7700$;FILE;BB,RGS
```

FILENAME= RIMSM,E1

```
$       NOTE    ***********RIME/GO/RIMSM,E1 FOLLOWS                    00001000
$       OPTION  FORTRAN,NOMAP                                          00001010
$       SELECT  RIME/OBJ/RIME,O                                        00001020
$       SELECT  RIME/OBJ/REPAIR,O                                      00001030
$       SELECT  RIME/OBJ/OUTREP,O                                      00001040
$       SELECT  RIME/OBJ/OUT2,O                                        00001050
$       SELECT  RIME/OBJ/EVNTS,O                                       00001060
$       SELECT  RIME/OBJ/XMGASP,O                                      00001070
$       SELECT  RIME/OBJ/GASPPL,O                                      00001080
$       SELECT  RIME/OBJ/ENTERR,O                                      00001090
$       SELECT  RIME/OBJ/PELIST,O                                      00001100
$       SELECT  RIME/OBJ/FILLRQ,O                                      00001110
$       SELECT  RIME/OBJ/INITAL,O                                      00001120
$       SELECT  RIME/OBJ/INITM2,O                                      00001130
$       SELECT  RIME/OBJ/ITRSL2,O                                      00001140
$       SELECT  RIME/OBJ/LEVEL2,O                                      00001150
$       SELECT  RIME/OBJ/ZERO,O                                        00001160
$       SELECT  RIME/OBJ/SSTAT,O                                       00001170
$       SELECT  RIME/OBJ/REQ,O                                         00001180
$       SELECT  RIME/OBJ/RECEIV,O                                      00001190
$       SELECT  RIME/OBJ/REVIEW,O                                      00001200
$       SELECT  RIME/OBJ/ORDER,O                                       00001210
$       SELECT  RIME/OBJ/CUM,O                                         00001220
$       NOTE    *****REQS ROUTINES FOLLOW                              00001230
$       SELECT  REQS/MAMBU,O                                           00001240
```

FILENAME= RIMSM,E2

```
10$;NOTE;*********RIMS/GO/RIMSM,E2 FOLLOW***
20$;SELECT;RIMS/GO/RIMSM,E1
30$;EXECUTE
40$;SELECT;RIMS/LIMITS,2
50$;FILE;11,R1,10R
60$;REMOTE;43
61$;REMOTE;45
62$;REMOTE;46
70$;DATA;05
80   1  0  1  1   C2
90   0 0 0 0 0    0  0   C3
100  5  16  1   5=LAMBDAS, 16=QTRS, 1=GRP
110$;FILE;09,A3S
```

```
FILENAME= RIMSM,E3


10$       NOTE     ********RIME/GO/RIMSM,E3 FOLLOWS
20$       OPTION   FORTRAN,NOMAP
30$       SELECT   RIME/OBJ/RIMSB,O
40$       SELECT   RIME/OBJ/RRPAIR,O
50$       SELECT   RIME/OBJ/OUTREP,O
60$       SELECT   RIME/OBJ/OUT2,O
70$       SELECT   RIME/OBJ/EVNTS,O
80$       SELECT   RIME/OBJ/IMGASP,O
90$       SELECT   RIME/OBJ/GRSPFL,O
100$      SELECT   RIME/OBJ/RMTERR,O
110$      SELECT   RIME/OBJ/FELIST,O
120$      SELECT   RIME/OBJ/FILLBO,O
130$      SELECT   RIME/OBJ/INITAL,O
140$      SELECT   RIME/OBJ/INITM2,O
150$      SELECT   RIME/OBJ/ITRSL2,O
160$      SELECT   RIME/OBJ/LEVEL2,O
170$      SELECT   RIME/OBJ/ZERO,O
180$      SELECT   RIME/OBJ/SSTAT,O
190$      SELECT   RIME/OBJ/REQ,O
200$      SELECT   RIME/OBJ/RECEIV,O
210$      SELECT   RIME/OBJ/REVIEW,O
220$      SELECT   RIME/OBJ/ORDER,O
230$      SELECT   RIME/OBJ/CUR,O
240$      NOTE     *****REQS ROUTINES FOLLOW
250$      SELECT   REQS/RANDU,O
```

```
PERMNAME= SORTL,E1
```

```
$0000;NOTE;+++++++++++++++++++++++++++++++++FILE /E0/SORTL.E1
$0100;FILE:CR;ZORB/BARB
$0200;NT  9,9,A,7,3,A
$0300;FILE      21    21REC
$0400;FILE;1*"0" TO ?1?
$0500;FILE;LRECL=45
$0600;NOTE;-----INPUT FILE CODES ARE IS;IT; ETC.
$0700;FILE:IS,I45
$0800;FILE:IT,I65
$0900;NOTE;-------OUTPUT FILE CODE IS "IS"
$1000;FILE:IS,A3R
$1100;FILE:#1,X1R,3OR
$1200;FILE:#2,X2R,3OR
$1300;FILE:#3,X3R,2OR
$1400;FILE:#4,X4R,2OR
$1500;NOTE;*********UTILITY DUMP
$1600;UTILITY
$1700;RUTIL,A1,SR,RVB/AE,BRK,BRUMP/2OR;1OR/,ABD/A1;BB/
$1800;FILE:A1,I6R
$1900;FILE:BB,B6R
$2000;PUTFILE,,RVB/CC/;DDUMP/5OR/,RVB/EC/
$2100;FILE:EC,A3R
```

REFERENCES

1. Demmy, W. Steven, RIME: The Recoverable Item Management Evaluator, Volume I: Model Description, TR-80-01, Decision Systems, 3575 Charlene Drive, Dayton, Ohio 45432, May 1980, 153 pp.

2. Demmy, W. Steven, RIME: The Recoverable Item Management Evaluation Volume II, Program Listings and Narratives, TR-80-02, Decision Systems, 3575 Charlene Drive, Dayton, Ohio 45432, May 1980, 298 pp.

3. Demmy, W. Steven, An Empirical Evaluation of Proposed Stockage Policies for Recoverable Item Management, TR-80-03, Decision Systems, 3575 Charlene Drive, Dayton, Ohio 45432, May 1980, 173 pp.

4. Demmy, W. Steven and Victor J. Presutti, Jr., Multi-Echelon Inventory Theory in the Air Force Logistics Command, Working Paper 76-3011-27, Department of Management, Wright State University, Dayton, Ohio 45435.

5. Muckstadt, John A., "A Model for a Multi-Item, Multi-Echelon, Multi-Indenture Inventory System, Management Science, v20, n4, December, 1973, pp. 472-481.